



TABLE 13-1. VEGETABLE HERBICIDE WEED CONTROL RATINGS

TRADE NAME	GRASSES					ANNUAL BROADLEAVES								PERENNIALS						
	barnyard grass	crabgrass	fall panicum	foxtails	witch grass	buckwheat, wild	lady's thumb	lamb's-quarters	mustards	nightshades	pigweeds	ragweed	velvetleaf	bindweed, field	horsetail	milkweed	nutsedge	quackgrass	sow-thistle	thistle, Canada
Soil Applied Grass Herbicides																				
DEVRINOL	8	9	8	8	8	5	6	8	5	5	8	7	5	5	5	5	6	5	5	5
DUAL II MAGNUM	9	9	8	9	9	2	2	7	2	8	7/8	4	2	0	0	0	8	4	0	0
EPTAM	9	9	9	9	9	4	7	7	5	7	7	5	5	?	?	?	8	5	?	?
FRONTIER	9	9	8	9	9	2	2	7	2	8	8	4	2	0	0	0	8	0	0	0
Soil Applied Broadleaf Herbicides																				
ALANAP	5	7	5	7	?	5	9	9	6	5	8	5	?	?	5	?	5	5	5	5
GESAGARD	?	?	?	9	?	?	8	9	8	8	8	6	?	?	?	?	?	?	?	?
LOROX L, (<i>linuron</i>)	7	5	5	7	7	8	9	9	9	8	9	8	6	2	2	2	2	2	2	2
PYRAMIN	5	5	5	5	5	8	8	8	8	8	8	8	6	5	5	?	5	5	5	5

TRADE NAME	GRASSES					ANNUAL BROADLEAVES								PERENNIALS							
	barnyard grass	crabgrass	fall panicum	foxtails	witch grass	buckwheat, wild	lady's thumb	lamb's-quarters	mustards	nightshades	pigweeds	ragweed	velvetleaf	bindweed, field	horsetail	milkweed	nutsedge	quackgrass	sow-thistle	thistle, Canada	
SENCOR	7	6	7	8	8	7	9	9	9	3	9	8	8	2	2	2	2	2	2	2	
Soil Applied Grass and Broadleaf Herbicides																					
CIPC	8	9	7	8	7	8	8	7	5	?	7	5	?	?	5	?	?	5	5	5	
COMMAND 360 ME	9	9	?	9	?	?	?	9	?	9	6	8/9	9	?	?	?	?	?	?	?	
DACTHAL W-75	6	8	8	8	8	0	0	8	0	0	7	0	0	?	?	?	?	0	0	0	
KARMEX <u>or</u> DIUREX 80WDG	9	8	7	8	?	8	8	9	8	7	8	9	?	?	5	?	5	5	5	5	
KERB	8	8	8	8	8	?	6	6	7	7	0	0	0	0	0	0	0	0	0	0	
NORTRON SC	7	6	7	7	7	8	8	8	8	7	8	8	7	5	5	5	6	5	5	5	
PURSUIT	8	7	7	9	9	8	9	9	9	9	9	8	9	?	?	?	7	5	?	?	
PRINCEP NINE-T	9	8	7	9	9	9	9	9	9	9	9	8	5	2	0	0	5	5	2	2	
PROWL	9	9	9	8	?	?	6	9	?	8	8	2	6	?	?	?	?	?	?	?	
PURSUIT	8	7	7	9	9	8	9	9	9	9	9	8	9	?	?	?	7	5	?	?	
SINBAR	8	7	8	8	8	?	7	8	8	7	7	7	7	?	5	6	6	6	?	6	
TREFLAN <u>or</u> RIVAL <u>or</u> BONANZA	9	9	9	9	9	5	7	8	2	2	8	4	2	2	2	2	2	2	2	2	
Postemergence Grass Herbicides																					
ASSURE II	9	8	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0

TRADE NAME	GRASSES					ANNUAL BROADLEAVES								PERENNIALS						
	barnyard grass	crabgrass	fall panicum	foxtails	witch grass	buckwheat, wild	lady's thumb	lamb's-quarters	mustards	nightshades	pigweeds	ragweed	velvetleaf	bindweed, field	horsetail	milkweed	nutsedge	quackgrass	sow-thistle	thistle, Canada
EXCEL SUPER	9	8	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
KERB	8	8	6	8	?	?	0	0	0	?	6	0	0	0	0	0	0	8	0	0
POAST ULTRA	9	8	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0
SELECT	9	8	9	8	9	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0
VENTURE L	8	8	9	8	9	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0
Postemergence Broadleaf Herbicides																				
2,4-D*	0	0	0	0	0	7	4	4	9	7	9	8	8	7	0	0	0	0	8	8
AIM EC (Hooded Sprayer Appl'n.)	0	0	0	0	0	?	?	8	8	8	8	?	8	?	?	?	?	?	?	?
BASAGRAN FORTÉ	0	0	0	0	0	7	9	8	7	7	8	8	9	6 ^a	2	2	8 ^a	0	6 ^a	7 ^a
BETANEX	5	5	5	5	5	5	6	7	7	6	9	9	5	5	?	?	5	5	5	5
BETAMIX	5	5	5	7	5	6	6	8	7	6	8	8	5	5	?	?	5	5	5	5
GOAL 2XL	5	5	5	5	5	9	8	8	9	9	9	8	7	5	5	5	5	5	5	5
herbicidal oil*	?	?	?	?	?	?	6	7	7	?	7	5	?	5	5	5	5	5	5	5
LONTREL	5	5	5	5	5	?	7	5	?	5	5	8	5	5	?	?	5	5	7	7
MCPA*	0	0	0	0	0	4	0	9	9	?	9	8	9	7	7	0	0	0	7	7
PARDNER	0	0	0	0	0	9	9	9	8	9	8	9	9	7	0	0	0	0	7	7

TRADE NAME	GRASSES					ANNUAL BROADLEAVES								PERENNIALS						
	barnyard grass	crabgrass	fall panicum	foxtails	witch grass	buckwheat, wild	lady's thumb	lamb's-quarters	mustards	nightshades	pigweeds	ragweed	velvetleaf	bindweed, field	horsetail	milkweed	nutsedge	quackgrass	sow-thistle	thistle, Canada
PINNACLE	0	0	0	0	0	?	8	9	8	3	9	5	8	2	2	2	2	2	2	2
PYRAMIN	5	5	?	5	?	8	8	8	8	8	8	8	?	?	5	?	5	5	5	5
TROPITOX PLUS or CLOVITOX PLUS or TOPSIDE	0	0	0	0	0	8	8	7	8	7	9	9	9	8	0	0	0	0	8	8
Postemergence Grass and Broadleaf Herbicides																				
LOROX	9	7	9	8	9	8	8	8	8	8	8	8	8	7	8	7	8	7	8	7
PRISM	9	8	9	8^b	9	?	7	7	9	4 ^c	9	3	6	?	?	?	?	7	?	?
SENCOR	8	7	9	8	9	7	9	8	9	?	8	8	7	?	?	?	?	7	?	?
Postemergence Tank-Mix Options																				
PRISM + PINNACLE	9	8	9	8^b	9	?	8	9	9	4 ^c	9	5	8	2	2	2	2	7	2	2
Preharvest and Post Harvest																				
IGNITE	9	9	9	9	9	?	9	9	9	?	9	9	9	8 ^d	7 ^d	6 ^d	0	8 ^d	?	?
* Various formulations available, see Table 4-1. <i>Herbicides Used in Ontario</i> , page 21.											? Insufficient information available to make a rating.									
^a Good control of these perennial weeds may require 2 applications, 7–10 days part.											^b Yellow foxtail will only be suppressed.									
^c Registered for control of hairy nightshade.											^d Repeated applications may be necessary if regrowth occurs.									
BOLD numbers indicates the weed is listed on the product label for control or suppression.																				

To order copies of Publication 75, Agdex 640, Price \$15.00 + GST:

- Visit ServiceOntario Publications website at www.ServiceOntario.ca/publications

- Contact ServiceOntario Publications Contact Centre at:
1-800-668-9938
416-326-5300
TTY 1-800-268-7095