

Publication 75, Guide to Weed Control 2008-2009

Ontario Ministry of Agriculture, Food and Rural Affairs




TABLE 4-3. HERBICIDE CROP ROTATION AND SOIL pH RESTRICTIONS

(For other crops, consult the label).	FIELD CROPS																							
	Alfalfa	Barley	Barley (Underseeded)	Beans, Kidney	Beans, White	Canola	Canola, (PURSUIT tolerant)	Clover, Red	Corn, Field	Corn, Seed	Flax – Linseed	Oats	Oats (Underseeded)	Peanuts	Rye, Fall	Rye, Fall (Underseeded)	Soybeans	Sunflowers	Tobacco	Wheat, Spring	Wheat, Spring (Underseeded)	Wheat, Winter	Wheat, Winter Underseeded	
TRADE NAME	Number of months between application and planting																							
ACCENT	10	10	10	f	10	10	10	10	√	f	f	f	f	f	f	f	10	f	f	f	f	4	10	
ACCENT 1-PASS ¹	22	10	f	f	10	f	f	f	√	f	f	f	f	f	f	f	10	f	f	f	f	f	f	
ACCENT TOTAL ¹	10	10	10	f	10	10	10	10	√	f	f	f	f	f	f	f	10	f	f	f	f	4	f	
ATRAZINE <1.0 kg ai/ha	10	10	10	10	10	22	22	10	√	√	10	10	10	22	10	10	10	22	22	10	10	4	10	
ATRAZINE > 1.0–1.5 kg ai/ha	22	10	22	22	22	22	22	22	√	√	10	22	22	22	10	22	10	22	22	10	22	10	22	
BATTALION ¹	f	10	f	f	10	10	10	10	√	f	f	f	f	f	f	f	10	f	f	f	f	4	10	
BROADSTRIKE DUAL MAGNUM (Soil pH >7.8 and OM <2%)	10	10	f	10	10	26	26	10	10	10	f	f	f	f	f	f	√	f	f	10	f	4	f	

(For other crops, consult the label).	FIELD CROPS																						
	Alfalfa	Barley	Barley (Underseeded)	Beans, Kidney	Beans, White	Canola	Canola, (PURSUIT tolerant)	Clover, Red	Corn, Field	Corn, Seed	Flax – Linseed	Oats	Oats (Underseeded)	Peanuts	Rye, Fall	Rye, Fall (Underseeded)	Soybeans	Sunflowers	Tobacco	Wheat, Spring	Wheat, Spring (Underseeded)	Wheat, Winter	Wheat, Winter Underseeded
TRADE NAME	Number of months between application and planting																						
CALLISTO	11	10	f	f	11	f	f	22	J	J	f	10	f	f	4	f	11	f	f	10	f	4	f
CLASSIC (Soil pH 7.4 and less)	10	10	f	f	10	f	f	f	10	f	f	f	f	f	f	f	10	f	f	f	f	3	f
CLASSIC (Soil pH 7.4–7.8)	22	22	f	f	10	f	f	f	10	f	f	f	f	f	f	f	10	f	f	f	f	22	f
CLEAN SWEEP ¹	22	10	22	10	10	22	10	22	10	22	22	22	22	22	22	22	J	22	22	10	22	3.3	22
COMMAND 360 ME	16	16	16	10	10	10	10	16	10	10	16	16	16	16	16	16	J	16	16	16	16	16	16
CONQUEST ¹	22	10	22	22	22	22	22	22	10	22	22	22	22	22	22	22	J	22	22	10	22	4	22
CONVERGE PRO ¹	10	10	f	f	f	10	10	f	J	10	f	10	f	f	f	f	10	f	f	10	f	4	f
FIRSTRATE	9	f	f	9	9	26	26	f	9	f	f	f	f	9	f	f	J	30	30	f	f	4	f
GALAXY ¹	f	10	f	f	10	10	f	10	J ⁴	f	f	f	f	f	f	f	10	f	f	f	f	4	f
INFINITY	10	J	f	f	f	10	10	f	10	f	10	10	10	f	f	f	10	f	f	J	f	J	f
IMPACT	f	f	f	f	f	f	f	f	J	f	f	f	f	f	f	f	10	f	f	f	f	f	f
LONTREL	22	10	22	22	22	J	J	22	10	22	10	10	22	22	10	22	22	22	22	10	22	10	22
MILESTONE	48	10	10	48	48	10	10	48	10	10	10	10	10	10	f	10	48	48	48	10	10	10	10
MERIDIAN PLUS ¹	f	9	f	9	9	22	9	f	9	22	f	9	f	f	f	f	J	f	f	f	f	4	f
MUSTER	22	10	f	f	22	v	J	22	f	f	10	10	f	f	f	f	10	f	f	10	f	4	f

(For other crops, consult the label).	FIELD CROPS																							
	Alfalfa	Barley	Barley (Underseeded)	Beans, Kidney	Beans, White	Canola	Canola, (PURSUIT tolerant)	Clover, Red	Corn, Field	Corn, Seed	Flax – Linseed	Oats	Oats (Underseeded)	Peanuts	Rye, Fall	Rye, Fall (Underseeded)	Soybeans	Sunflowers	Tobacco	Wheat, Spring	Wheat, Spring (Underseeded)	Wheat, Winter	Wheat, Winter Underseeded	
TRADE NAME	Number of months between application and planting																							
OPTION 1.2.3.	10	10	10	10	10	22	22	22	✓	f	f	10	10	f	f	f	10	f	f	10	10	4	10	
OPTION 2.25 OD	10	10	10	10	10	10	10	10	✓	f	f	10	10	f	f	f	10	f	f	10	10	4	10	
PEAK PLUS ¹	22	10	f	f	10	f	f	f	✓	f	f	10	f	f	f	f	10	f	f	f	f	f	f	
PURSUIT	✓	10	22	✓	✓	22	✓	22	10	22	22	22	22	22	22	22	✓	22	22	10	22	3.3	22	
PRISM	F	10	f	f	10	10	10	10	✓	f	f	f	f	f	f	f	10	f	f	f	f	4	10	
REFLEX	F	f	f	✓	✓	18	18	f	10	f	f	f	f	f	f	f	✓	f	f	10	f	4	f	
SENCOR (Soil pH > 7.5)	10	10	10	10	10	22	22	10	✓	10	10	10	10	10	10	10	✓	10	22	10	10	3.3	10	
SIMAZINE/PRINCEP <2 kg ai/ha	✓	10	10	22	22	22	22	22	✓	10	22	10	10	10	10	10	22	22	22	10	10	10	10	
SIMAZINE/PRINCEP >2 kg ai/ha	✓	22	22	22	22	22	22	22	✓	22	22	22	22	22	22	22	22	22	22	22	22	22	22	
SUMMIT	11	11	f	11	11	22	22	f	✓	10	f	11	f	f	f	f	11	f	f	11	11	3	f	
ULTIM	f	10	f	f	10	10	10	10	✓	f	f	f	f	f	f	f	10	f	f	f	f	4	f	
ULTIM TOTAL ¹	f	10	f	f	10	10	10	10	✓	f	f	f	f	f	f	f	10	f	f	f	f	4	f	
VALOR	18	18	18	10	10	18	18	18	10	10	18	18	18	18	18	18	18	✓	18	18	18	18		
VIPER ¹	f	f	f	f	f	f	f	f	10	10	f	f	f	f	f	f	f	✓	f	f	f	f		

(For other crops, consult the label).	FIELD CROPS																						
TRADE NAME	Alfalfa	Barley	Barley (Underseeded)	Beans, Kidney	Beans, White	Canola	Canola, (PURSUIT tolerant)	Clover, Red	Corn, Field	Corn, Seed	Flax – Linseed	Oats	Oats (Underseeded)	Peanuts	Rye, Fall	Rye, Fall (Underseeded)	Soybeans	Sunflowers	Tobacco	Wheat, Spring	Wheat, Spring (Underseeded)	Wheat, Winter	Wheat, Winter Underseeded
	Number of months between application and planting																						
<p>√ = Registered for application on this crop. f = Field bioassay; user assumes liability for all crops not indicated on the label. ¹ Herbicides sold as a co-pack under this trade name. ⁴ For use only on glyphosate tolerant (Roundup Ready) field corn hybrids.</p>											<p>BOLD numbers indicate that the re-crop restriction (in months) is listed on the product label. Un-bolded numbers indicate that the re-crop restriction (in months) is based on the best available information and the manufacturer of the specified product should be contacted for more information.</p>												

To order copies of Publication 75, Agdex 640, Price \$15.00 + GST:

- Visit ServiceOntario Publications website at www.ServiceOntario.ca/publications
- Contact ServiceOntario Publications Contact Centre at:
1-800-668-9938
416-326-5300
TTY 1-800-268-7095