

La publication 75F, Guide de lutte contre les mauvaises herbes 2008-2009



Ministère de l'Agriculture, de l'Alimentation et des
Affaires rurales de l'Ontario

TABLEAU 4-4. RESTRICTIONS (ROTATION DES CULTURES ET PH DU SOL)

(Pour autres cultures, voir l'étiquette)	CULTURES HORTICOLES																												
	Ail	Asperge	Betterave à sucre	Betterave rouge	Brocoli	Carotte	Céleri	Chou	Chou-fleur	Choux de Bruxelles	Citrouille	Concombre	Courge	Épinard	Fines herbes	Haricot de Lima	Haricot mange-tout	Laitue	Mais sucré	Melon brodé	Melon d'eau	Oignon	Panais	Pois	Poivron	Pomme de terre	Rutabaga	Tomate repiquée	
NOM COMMERCIAL	Nombre de mois entre le traitement et les plantations																												
ACCENT	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	√	eb	eb	eb	eb	eb	eb	eb	10	eb	10
ACCENT 1-PASS ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	
ACCENT TOTAL ¹	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	10
ATRAZINE < 1,0 kg m.a./ha	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	10	10	22	√	22	22	22	22	10	22	10	22	10	
ATRAZINE > 1,0-1,5 kg m.a./ha	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	√	22	22	22	22	22	22	22	22	22	
BATTALION ¹	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	eb	10	eb	10	

(Pour autres cultures, voir l'étiquette)	CULTURES HORTICOLES																											
	Ail	Asperge	Betterave à sucre	Betterave rouge	Brocoli	Carotte	Céleri	Chou	Chou-fleur	Choux de Bruxelles	Citrouille	Concombre	Courge	Épinard	Fines herbes	Haricot de Lima	Haricot mange-tout	Laitue	Maïs sucré	Melon brodé	Melon d'eau	Oignon	Panais	Pois	Poivron	Pomme de terre	Rutabaga	Tomate repiquée
NOM COMMERCIAL	Nombre de mois entre le traitement et les plantations																											
BROADSTRIKE DUAL MAGNUM (pH du sol > 7,8 et MO < 2 %)	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	22	eb	eb	eb	10	10	eb	22	eb	eb	eb	eb	10	22	22	eb	26
CALLISTO	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	22	22	eb	√	eb	eb	eb	eb	22	eb	11	eb	11
CLASSIC (pH du sol : 7,4 ou moins)	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb
CLASSIC (pH du sol : 7,4–7,8)	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb
CLEAN SWEEP ¹	22	22	eb	eb	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	√	22	22	22	22
COMMAND 360 ME	16	16	16	16	10	16	16	16	16	16	10	10	10	16	16	16	10	16	10	16	16	16	10	10	10	16	16	
CONQUEST ¹	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
CONVERGE ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb
FIRSTRATE	eb	eb	eb	9	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	9	eb	18	eb	eb	eb	eb	9	eb	eb	eb	eb

(Pour autres cultures, voir l'étiquette)	CULTURES HORTICOLES																												
	Ail	Asperge	Betterave à sucre	Betterave rouge	Brocoli	Carotte	Céleri	Chou	Chou-fleur	Choux de Bruxelles	Citrouille	Concombre	Courge	Épinard	Fines herbes	Haricot de Lima	Haricot mange-tout	Laitue	Maïs sucré	Melon brodé	Melon d'eau	Oignon	Panais	Pois	Poivron	Pomme de terre	Rutabaga	Tomate repiquée	
NOM COMMERCIAL	Nombre de mois entre le traitement et les plantations																												
GALAXY ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	10
INFINITY	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb
IMPACT	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb
LONTREL	22	22	√	22	√	22	22	√	√	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	√	22	
MILESTONE	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	48	48	eb	10	eb	eb	eb	eb	eb	48	48	eb	eb	48
MERIDIAN PLUS ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	9
MUSTER	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	
OPTION 1.2.3. ¹	eb	eb	22	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	
OPTION 2.25 OD	eb	eb	10	eb	eb	eb	eb	10	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	10	eb	10	eb	eb	
PEAK PLUS ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	

(Pour autres cultures, voir l'étiquette)	CULTURES HORTICOLES																												
	Ail	Asperge	Betterave à sucre	Betterave rouge	Brocoli	Carotte	Céleri	Chou	Chou-fleur	Choux de Bruxelles	Citrouille	Concombre	Courge	Épinard	Fines herbes	Haricot de Lima	Haricot mange-tout	Laitue	Maïs sucré	Melon brodé	Melon d'eau	Oignon	Panais	Pois	Poivron	Pomme de terre	Rutabaga	Tomate repiquée	
NOM COMMERCIAL	Nombre de mois entre le traitement et les plantations																												
PRISM	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	√	eb	√
PURSUIT	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	√	22	22	22	22	22
REFLEX	eb	eb	18	18	18	eb	eb	18	18	18	eb	eb	eb	eb	eb	eb	√	eb	18	eb	eb	eb	eb	eb	eb	eb	eb	18	eb
SENCOR (pH du sol > 7,5)	10	√	22	22	22	10	22	22	22	22	22	22	22	22	10	10	10	22	10	22	22	22	10	10	22	√	22	√	
SIMAZINE/PRINCEP < 2 kg m.a./ha	22	22	22	10	22	22	22	22	22	22	22	22	22	22	22	22	22	22	10	22	22	22	22	22	22	22	22	22	
SIMAZINE/PRINCEP > 2 kg m.a./ha	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	
SUMMIT	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	
ULTIM	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	10	eb	eb	10	
ULTIM TOTAL ¹	eb	eb	10	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10	eb	eb	eb	eb	eb	10	eb	eb	10	

(Pour autres cultures, voir l'étiquette)	CULTURES HORTICOLES																												
NOM COMMERCIAL	Ail	Asperge	Betterave à sucre	Betterave rouge	Brocoli	Carotte	Céleri	Chou	Chou-fleur	Choux de Bruxelles	Citrouille	Concombre	Courge	Épinard	Fines herbes	Haricot de Lima	Haricot mange-tout	Laitue	Maïs sucré	Melon brodé	Melon d'eau	Oignon	Panais	Pois	Poivron	Pomme de terre	Rutabaga	Tomate repiquée	
	Nombre de mois entre le traitement et les plantations																												
VALOR	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	
VIPER ¹	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	eb	10
<p>√ = Homologué pour cette utilisation. ¹ Indique que l'herbicide est vendu en emballage combiné sous ce nom commercial. eb = Essai biologique en conditions réelles; l'utilisateur assume la responsabilité de toutes les cultures ne figurant pas sur l'étiquette. Les nombres en GRAS indiquent que la restriction (en mois) relative aux cultures est indiquée sur l'étiquette du produit. Les nombres qui ne sont pas en gras indiquent que la restriction (en mois) repose sur les données existantes les plus fiables et qu'il faut communiquer avec le fabricant du produit pour plus d'information.</p>																													

Pour commander la publication 75F, Agdex : 640, Prix : 15 \$ + TPS :

- En ligne à *ServiceOntario Publications*
- Par téléphone au Centre de service de ServiceOntario
1-800-668-9938
416-326-5300
1-800-268-7095 (ATS)